

IN THE CLAIMS

Please amend claims 1 and 4, and add claims 7-10 as follows:

1       1. (Currently amended) An electronic device comprising a  
2 housing formed by at least ~~two housing parts~~ one of which, called a  
3 screen part and a fixed part, said screen part being is integral  
4 with a retractable screen which may occupy a ~~first position~~ called  
5 closed position and an second position called open position  
6 relative to a ~~part~~ called the fixed part, characterized in that  
7 wherein in the position called closed position, the fixed part  
8 partly masks the screen, said screen part being separable from said  
9 fixed part.

1       2. (Original) An electronic device as claimed in claim 1,  
2 characterized in that said screen part is mounted on projections so  
3 as to permit it being displaced.

1       3. (Previously presented) An electronic device as claimed in  
2 claim 1, characterized in that "hard points" are provided when said  
3 screen part is displaced, so that it can occupy stable positions.

1       4. (Currently amended) An electronic device as claimed in  
2 claim 1, characterized in that a guide further comprising guiding  
3 parts is provided including a first guiding part and a second  
4 guiding part, said first guiding part having recesses which are  
5 integral with one of said guiding parts in which can be  
6 accommodated during the displacement a spring system which is  
7 integral with the other said second guiding part so as to create  
8 said "hard points" provide stable positions for said screen part.

1       5. (Original) An electronic device as claimed in claim 1,  
2 characterized in that the positions of the screen between two  
3 positions are ensured by latches that can be unlocked by a button.

1       6. (Original) An electronic device as claimed in claim 5,  
2 characterized in that the latches permit to separate the two parts  
3 of the housing.

1       7. (New) An electronic device as claimed in claim 1, wherein  
2 said closed position corresponds to a first operating mode of said

3 electronic device and said open position corresponds to a second  
4 operating mode of said electronic device.

1 8. (New) An electronic device as claimed in claim 7, wherein  
2 said first operating mode includes telephone functions and said  
3 second operating mode includes receiving information from a WAP  
4 system.

1 9. (New) An electronic device as claimed in claim 1, wherein  
2 said fixed part includes a switch that protrudes from a groove in  
3 said screen part in said closed position, said switch being  
4 depressed by said screen part in said open position, wherein said  
5 electronic device is configured to switch between two screen  
6 formats in response to a position of said switch.

1 10. (New) An electronic device as claimed in claim 1, further  
2 comprising position detection means, wherein said electronic device  
3 is configured to switch between two screen formats in response to  
4 signals from said position detection means.